This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (Currently Amended): <u>A process Process</u> for the production of cross-linked polyvinyl acetals, <u>wherein in which</u> a polymer (A1) is cross-linked, <u>and polymer (A1) contains</u> which, relative to its total weight, <u>contains</u>
 - a) 1.0 to 99.9% by weight of structural units of formula (1)

$$(1)$$

in which R1 means hydrogen or methyl,

b) 0 to 99.0% by weight of structural units of formula (2)

$$\begin{array}{c}
R^{l} \\
\downarrow \\
\downarrow \\
R^{2}
\end{array}$$
(2)

in which R^2 represents hydrogen or an alkyl radical with 1 to 6 carbon atoms,

c) 0 to 70.0% by weight of structural units of formula (3)

$$\begin{array}{ccc}
R^3 & R^4 \\
& & \\
R^5 & R^6
\end{array}$$
(3)

2

KURARAY-7

in which R^3 , R^4 , R^5 and R^6 , in each case independently of one another, are <u>each</u> radicals with a molecular weight in the range of 1 to 500 g/mol,

d) 0.00001 to 30.0% by weight of structural units of formula (4)

$$\mathbb{R}^3$$
 COOH

H \mathbb{R}^7

in which R^7 and R^8 , in each case independently of one another, \underline{are} eentain hydrogen, [[a]] carboxyl group, an alkyl group with 1 to 10 carbon atoms [[,]] which \underline{is} optionally substituted by ean exhibit one or more COOH groups as substituents, or represents an optionally substituted aryl group with 6 to 12 carbon atoms,

said process comprising characterized in that in any sequence:

 reacting polymer Polymer (A1) is reacted with at least one polyaldehyde of formula (5),

$$R^{9}(CHO)_{n}$$
 (5)

in which R^9 represents a bond or a radical <u>having</u> that has 1 to 40 carbon atoms, and n is an integer that is greater than or equal to 2,

and

- (ii) <u>partially esterifying groups</u> Groups of formula (1) and formula (4) are at least partially esterified with one another.
- (Currently Amended): A process Process according to claim 1, wherein n is a

compound (5) with n = 2 or 3 is used.

- (Currently Amended): <u>A process Process</u> according to claim 1, wherein a
 eompound (5) is used, in which R⁹ is an aliphatic, cycloaliphatic and/or aromatic group with 1 to
 12 carbon atoms.
- (Currently Amended): <u>A process Process</u> according to claim 1, wherein glutaric dialdehyde and/or n-nonanedial is used as compound <u>of formula</u> (5).
- (Currently Amended): <u>A process</u> Process according to claim 1, <u>further</u>
 comprising, wherein at any time <u>during the process</u>, <u>adding</u> at least one compound of formula (6) is added,

$$R^{1}$$
 (6)

in which R^{10} and R^{11} , in each case independently of one another, are hydrogen, an alkyl group with 1 to 10 carbon atoms, or an optionally substituted aryl group with 6 to 12 carbon atoms.

- (Currently Amended): <u>A process</u> Process according to claim 5, wherein <u>said</u> nbutvraldehvde is used as compound of formula (6) is n-butvraldehvde.
 - 7. (Currently Amended): A process Process according to claim 5, wherein the

compounds of formulas 5 and 6 are used in the following ratio:

- (1) 95.00 to 99.99 parts by weight of at least one compound of formula (6)
- (2) 0.01 to 5.00 parts by weight of at least one polyaldehyde of formula (5) are used, whereby the indicated parts by weight are supplemented up to 100,00 parts by weight.
- (Currently Amended): <u>A process Process</u> according to claim 1, wherein the esterification of (ii), optionally in the presence of at least one softener, is performed at a temperature mass temperatures in the range of 80 to 280°C.
- (Currently Amended): <u>A process</u> Process according to claim 8, wherein the crosslinking is performed in an extruder, a kneading aggregate or another heatable aggregate.
- (Currently Amended): <u>A cross-linked</u> Cross-linked polyvinyl acetal that can be obtained by a process according to claim 1.
- 11. (Currently Amended): <u>A cross-linked polyvinyl</u> Polyvinyl acetal according to claim 10, wherein <u>said cross-linked polyvinyl has a its</u> total content of esterified and non-esterified carboxyl groups <u>of is</u> less than or equal to 10.0% by weight, relative to the total weight of the polyvinyl acetal.
- (Currently Amended): <u>A cross-linked polyvinyl</u> Polyvinyl acetal according to claim 10, wherein <u>said cross-linked polyvinyl acetal</u> it contains a softener.

- (Currently Amended): <u>A molding Molding compound comprising</u> that contains a
 polyvinyl acetal according to claim 10.
- (Currently Amended): <u>A film comprising</u> Film that contains a polyvinyl acetal according to claim 10.
- (Currently Amended): In a laminated safety glass article, the improvement wherein said article comprises Use of a film according to claim 14 for the production of laminated safety glasses.
- 16. (Currently Amended): <u>In a coating composition, the improvement wherein said</u>

 <u>coating composition comprises</u> Coating that contains a polyvinyl acetal according to claim 10.
- 17. (Currently Amended): <u>In an electronic system having at least one ion-conductive</u> intermediate layer, the improvement wherein Use of a polyvinyl acetal according to claim 10 is <u>used as an for the production of ion-conductive intermediate layer layers for eletrochromic systems.</u>